
FEED

MAKE EVERY MINUTE COUNT



ENGINEERED PERFORMANCE

Experience tells us that time is the scarcest commodity on your farm.

To give you more time, we focus our energy on understanding the mechanics of your daily farm routines to engineer solutions that are in sync with your operations.

It started with Wilfred Giltrap making bespoke machinery from his Otorohanga shed in 1959. Building on his high standards, the shed has grown and so has our team's understanding of what it takes to build serious farm machinery. Together, we're building on Wilfred's legacy, obsessing over the details to design and manufacture robust equipment that is stronger and gets work done better and faster.

Our design process starts on the land, listening to farmers and growers. The things we hear and the insights we gather are then combined with generations of engineering experience and an understanding of what technology has to offer.

Through this process ideas are transformed into schematics and raw materials are engineered to create finished machinery built in our Otorohanga and Timaru facilities. You can rest assured knowing that we pride ourselves on our high quality manufacturing processes. We ensure each piece of kit lives up to the Giltrap reputation for strength, innovation and legendary durability. Any components not made in New Zealand are sourced globally from quality international suppliers.

It's all part of our promise, that as long as it's on your farm, a Giltrap machine will be in sync with your routine and make every minute count.



BALE FEEDERS

RELIABLE, EASY,
NO WASTE



We've designed our bale feeders to make feed time quick and easy. These finely tuned machines ensure that you have complete control over portion size and can quickly deliver round or square bales of hay or silage across all kinds of terrain, with no waste.

RS2 FEEDER

The Giltrap RS2 Feeder can efficiently feed out different variations of round and square bales. The RS2 is built to Giltrap's high standard for reliability and long-life performance.



G2X2 BALE FEEDER

Feeding a lot of bales doesn't have to take a long time. The G2X2 is quick to load and safe to use. Designed to feed out all types of round bales, including wrapped silage, hay and straw.



G2 ROUND BALE FEEDER

The G2 linkage-mounted feeder is designed to feed out all types of round bales, including silage and hay. The cradle design has a low centre of gravity and keeps the bale securely in the machine, making it great for working on and around hills.



BALE BUGGY

Don't have a tractor, or you don't want to tie up your big tractor feeding the stock? No problem. Our Bale Buggy will feed out all types of hay, straw or silage round bales - no tractor or hydraulics required!



G2X2 BALE FEEDER

TWO BALES

TOTAL CONTROL

Trusted and proven performance for feeding out round bales safely, efficiently, and reliably day in, day out.

The stainless steel lined cradle design is smart and robust with a low centre of gravity to retain round bales securely. Two-stage sequence loading gives total control of loading and removing twine and plastic, saving you more of your valuable time and fodder. You'll be hard pressed to find a stronger, smoother-functioning, longer lasting, better value trailed bale feeder than the Giltrap G2X2.



KEY FEATURES



DUAL BALE CAPACITY

Carries 2 x round bales up to 6ft, reducing travel time and increasing efficiency. The heavy duty bale spike headstock features two adjustable loading positions, enabling fast and precise loading of bales ranging from 4ft to 6ft.



AGGRESSIVE FEEDING BARS

HD high-tensile 6mm folded channel tine bars bolted to 3" solid pin chain have a super aggressive taper to tear and release the tightest of bales.



MAXIMUM STABILITY

The low centre of gravity and extra-wide, adjustable wheel track (up to 240mm) ensure stability on hills and uneven terrain. 16 ply, quality tyres provide excellent flotation and longevity.



STRING & WRAP STORAGE

Convenient large capacity string box is standard with hinged lid, holds large volumes of bale wrap and netting and has storage for a knife.



POWERFUL BALE ROTATION

A high torque hydraulic motor delivers plenty of power to keep heavy bales turning – drive shafts are fully enclosed to reduce wrapping.



ADJUSTABLE TOW HITCH

Adjustable tow eye hitch to match drawbar height for optimum feeding. The integrated jack stand makes it easy to disconnect from the tractor.



HEAVY-DUTY FEED CHAINS

3" 15000lb solid pin chains with heavy duty bolted tine bars can be tensioned as they loosen. Rotating shafts turn in long-life cast iron bushes which are simple to grease and maintain.



KEY FEATURES & SPECIFICATIONS



CORROSION-RESISTANT FLOOR

G2X2 feeders have a corrosion resistant stainless steel floor to catch loose feed.



TOTAL CONTROL LOADING

2-stage heavy duty headstock hydraulic loading system gives total control of bales allowing easy net/plastic removal and soft loading into the feed cradle.



REPLACEABLE BUSHES

Large diameter pivot pins with replaceable EZI GLIDE bushes on the loading boom pivot points. Ideal for a long service life with low maintenance.

DIMENSIONS AND CAPACITIES

Overall length (forks up) (m)	4.10	Hydraulics	2 x double-acting
Overall height (m)	1.06	Axle type	Single axle
Overall width (m)	1.98	Axle size (mm)	50 (6 stud)
Weight (kg)	942	Wheel type	11.5/80-15.3 16 ply
Feed chain (lb)	15000 3" roller	Bale weight rating (kg)	2 x 1500





QUICK HITCH SEAMLESS CONNECTION

The Giltrap Quick Hitch helps you seamlessly connect to your towed implement in a way that won't compromise your load capacity or manoeuvrability.

The Giltrap Quick Hitch is robust and well designed to give you years of faultless service. The recessed tow pin closely mimics the position that a regular tow bar would be to maintain good stability of the towed implement.

DIMENSIONS AND CAPACITIES

Overall length (mm)	345
Overall width (mm)	1000
Overall height (mm)	846
Weight (kg)	76



KEY FEATURES

- Interchangeable Category 2 or 3 tow pin for trailers up to 18 tonnes
- Wearalloy plate where the towing eye rests
- Clear view to pin and latch from the tractor seat
- Spring loaded safety latch locks the tow eye into place
- 32mm centre bar for maximum strength
- Clevis-style linkage arm connections for long-lasting durability
- Fully powder coated for a durable finish

OPTIONAL EXTRAS

- Category 3 tow pin for trailers up to 18T



CLEVIS PIN CONNECTION

Clevis linkage pins mount the Quick Hitch securely and safely to the tractor and have long lasting durability. Designed with a clear view to pin and latch from the tractor seat.



INTERCHANGEABLE TOW PIN

Tow pin - can be Cat 2 (up to 12T) or Cat 3 (up to 18T). The towed implement tow eye rests on a wear resistant plate for increased life. A spring loaded safety latch locks the tow eye into place.



TIGHT TURNS

Smart design allows for tight turns, with a 32mm centre bar for maximum strength.

FROM SEED TO FEED

That’s the Giltrap Ag difference. From hard-working Giltrap machinery to help you feed, spread and carry to Duncan Drills, the world’s best drilling technology. We help take the hard work out of producing some of the world’s finest pasture and crops.



**PRO-SERIES
FERTILISER SPREADERS**



ORCHARD SPREADERS



SLURRY SPREADERS



**DUNCAN VINEYARD AND
ORCHARD DRILLS**



TIP TRAILERS



CONSTRUCTION TRAILERS



**DUNCAN DIRECT
DISC DRILLS**



**DUNCAN DIRECT
TINE DRILLS**



**DUNCAN CONTRACTOR
DIRECT DRILLS**

GLOBAL PRESENCE, LOCAL KNOWLEDGE



We put so much time and energy into bringing you the best possible products that we aren't going to let this stop when the equipment leaves our factory. With a dealer network around the globe we've made sure you'll get the best ongoing equipment support no matter where you are.

**TO FIND YOUR LOCAL DEALER VISIT
GILTRAPAG.CO.NZ/OUR-DEALERS**





We've assembled a comprehensive dealer network that knows what it takes to keep your Giltrap machinery in peak condition. With a blend of local knowledge and engineering expertise our team is here 24/7, so your business doesn't have to stop.

To find out more about our local dealer network or to discuss your specific needs, contact a member of our team.

NEW ZEALAND (HEAD OFFICE)

TEL +64 7 873 4199

EMAIL info@giltrapag.co.nz
giltrapag.co.nz

AUSTRALIA

TEL +61 3 9369 6548

EMAIL sales@giltrapag.com.au
giltrapag.com.au

To find your local Giltrap and Duncan dealer visit
giltrapag.co.nz/our-dealers